


LED



25

2026.09.30

LED

No.				가		SIZE			
1		TOP-6SDL12W-S	24484830	23,000	12W	-	5665 ± 355	  	 
2		TOP-6SDL15W-S	24484831	24,000	15W	-	5665 ± 355	  	 
3		TOP-6SDL12W	24484825	32,400	12W	-	5665 ± 355	  	 
4		TOP-6SDL20W-57K	24847233	33,000	20W	-	5665 ± 355	  	 
5		TOP-6SDL15W	24484826	38,000	15W	-	5665 ± 355	  	 
6		TOP-6SDL20W	24484827	43,000	20W	-	5665 ± 355	  	 
7		RTSK-6SDL15W40-FF	25394683	45,000	15W	-	3985 ± 275	  	 
8		TOP-6SDL25W	24484828	49,600	25W	-	5665 ± 355	  	 
9		RTSK-3DL	25352132	63,000	12W	-	2700 ~ 5700	  	 
10		RTSK-R90W12-D75	26177538	69,000	12W	-	2700 ~ 5700	  	 
11		TOP-7SDL20W	24484857	70,000	20W	-	5665 ± 355	  	 
12		RTSK-8SDL30W	25752776	77,000	30W	-	5665 ± 355	  	 

LED

No.				가		SIZE			
13		RTSK-R120W12-D100	26177537	77,000	12W	-	2700 ~ 5700	  	 
14		RTSKR-TR05W-D75	26177539	77,000	5W	-	2700 ~ 5700	  	 
15		RTSK-MR10	25352137	80,000	10W	-	2700 ~ 5700	  	 
16		TOP-8SDL40W	24484834	82,000	40W	-	5665 ± 355	  	 
17		RTSK-R140W15-D120	26177535	85,000	15W	-	2700 ~ 5700	  	 
18		RTSK-R155DLC20W-D140	26177536	89,000	20W	-	2700 ~ 5700	  	 
19		TOP-8SDL45W	24484835	90,000	45W	-	5665 ± 355	  	 
20		RTSKR-R170M20W-40K	26177540	93,000	20W	-	2700 ~ 5700	  	 
21		RTSK-S 10W-D85	26177534	99,000	10W	-	2700 ~ 5700	  	 
22		TOP-DL15SAFE	24801268	150,000	15W	-	5665 ± 355	  	 
23		RTSK-MS40	25352139	180,000	40W	-	2700 ~ 5700	  	 
24		RTSK-MR30	25352136	210,000	30W	-	2700 ~ 5700	  	 

LED

No.		가			SIZE		
25		RTSK-MS60	25352140	240,000	60W	-	2700 ~ 5700






LED

TOP-6SDL12W-S

	24484830
가	23,000

SIZE		가
-	5665 ± 355	23,000

(Unit: mm)



LED PKG	12W	(PF)	0.9
	-		-
	105		-
	1,260	(CRI)	80
	5665 ± 355	SIZE	-
			SSL-36V12W-HG
	-		-
	50,000		-
		(A)	0.055 ± 10%
	(%) 95%	(%)	95




LED

TOP-6SDL15W-S

	24484831
가	24,000

SIZE		가
-	5665 ± 355	24,000



LED PKG	15W	(PF)	0.9
	-		-
	105		-
	1,575	(CRI)	80
	5665 ± 355	SIZE	-
			SSL-36V15W-HG
	-		-
	50,000		-
		(A)	0.068 ± 10%
(%)	95%	(%)	95




LED


TOP-6SDL12W

	24484825
가	32,400

SIZE		가
-	5665 ± 355	32,400



LED PKG	12W	(PF)	0.9
	-		-
	105		-
	1,260	(CRI)	80
	5665 ± 355	SIZE	-
			SSL-36V12W-HG
	-		-
	50,000		-
		(A)	0.055 ± 10%
(%)	95%	(%)	95




LED

TOP-6SDL20W-57K

	24847233
가	33,000

SIZE		가
-	5665 ± 355	33,000




LED PKG	20W	(PF)	0.9
	-		-
	105		-
	2,100	(CRI)	80
	5665 ± 355	SIZE	-
			SSL-36V20W-HG
	-		-
	50,000		-
		(A)	0.09 ± 10%
	(%) 95%	(%)	95



LED

TOP-6SDL15W

	24484826
가	38,000
SIZE	
-	5665 ± 355
	가
	38,000



LED PKG	15W	(PF)	0.9
	-		-
	105		-
	1,575	(CRI)	80
	5665 ± 355	SIZE	-
			SSL-36V15W-HG
	-		-
	50,000		-
		(A)	0.068 ± 10%
	(%) 95%	(%)	95



LED


TOP-6SDL20W

	24484827
가	43,000


SIZE		가
-	5665 ± 355	43,000

(Unit: mm)

Top View



Side View



LED PKG	20W	(PF)	0.9
	-		-
	105		-
	2,100	(CRI)	80
	5665 ± 355	SIZE	-
			SSL-36V20W-HG
	-		-
	50,000		-
		(A)	0.09 ± 10%
	(%) 95%	(%)	95



LED


RTSK-6SDL15W40-FF

	25394683
가	45,000

☒

☒
NON

☒
CUT OFF ,



LED PKG	15W	(PF)	0.9
	-		-
	105		-
	1,575	(CRI)	80
	3985 ± 275	SIZE	-
			SSL-36V15W-HG
	-		-
	50,000		-
		(A)	0.068 ± 10%
	(%) 95%	(%)	95




LED

TOP-6SDL25W

	24484828
가	49,600

SIZE		가
-	5665 ± 355	49,600



LED PKG	25W	(PF)	0.9
	-		-
	105		-
	2,625	(CRI)	80
	5665 ± 355	SIZE	-
			SSL-36V25W-HG
	-		-
	50,000		-
		(A)	0.113 ± 10%
	(%) 95%	(%)	95




LED

RTSK-3DL

	25352132	
가	63,000	
SIZE		가
-	2700 ~ 5700	63,000

(Unit: mm)



LED PKG	12W	(PF)	0.9
	-		-
	105		-
	1,260	(CRI)	80
	2700 ~ 5700	SIZE	-
			SSL-LCP3612FF-HG
	-		-
	50,000		-
		(A)	0.056 ± 10%
	(%) 95%	(%)	95





LED

RTSK-R90W12-D75

	26177538
가	69,000

SIZE		가
-	2700 ~ 5700	69,000

(Unit: mm)



LED PKG	12W	(PF)	0.9
	-		-
	105		-
	1,260	(CRI)	80
	2700 ~ 5700	SIZE	-
			SSL-36V12W-HG
	-		-
	50,000		-
		(A)	0.055 ± 10%
	(%) 95%	(%)	95



LED

TOP-7SDL20W

	24484857
가	70,000

SIZE		가
-	5665 ± 355	70,000

(Unit: mm)


LED PKG	20W	(PF)	0.9
	-		-
	105		-
	2,100	(CRI)	80
	5665 ± 355	SIZE	-
			SSL-36V20W-HG
	-		-
	50,000		-
		(A)	0.09 ± 10%
	(%) 95%	(%)	95



LED

RTSK-8SDL30W

	25752776
가	77,000
SIZE	
-	5665 ± 355
	77,000



LED PKG	30W	(PF)	0.9
	-		-
	105		-
	3,150	(CRI)	80
	5665 ± 355	SIZE	-
			SSL-36V30W/FT-SM6
	-		-
	50,000		-
		(A)	0.136 ± 10%
	(%) 95%	(%)	95




LED

RTSK-R120W12-D100

	26177537
가	77,000

SIZE		가
-	2700 ~ 5700	77,000

(Unit: mm)



LED PKG	12W	(PF)	0.9
	-		-
	105		-
	1,260	(CRI)	80
	2700 ~ 5700	SIZE	-
			SSL-36V12W-HG
	-		-
	50,000		-
		(A)	0.055 ± 10%
	(%) 95%	(%)	95





26177539

가

77,000

SIZE





가

—

2700 ~ 5700

77,000

Technical drawing of a rectangular block. The width is labeled as 253 and the height is labeled as 76.

LED PKG




LED

RTSK-MR10

	25352137	
가	80,000	
SIZE		가
-	2700 ~ 5700	80,000

(Unit: mm)



LED PKG	10W	(PF)	0.9
	-		-
	100		-
	1,000	(CRI)	80
	2700 ~ 5700	SIZE	-
			SSL-LCP3610FF-HG
	-		-
	50,000		-
		(A)	0.045 ± 10%
	(%) 95%	(%)	95




LED

TOP-8SDL40W

	24484834
가	82,000

SIZE		가
-	5665 ± 355	82,000

(Unit: mm)



LED PKG	40W	(PF)	0.9
	-		-
	110		-
	4,400	(CRI)	80
	5665 ± 355	SIZE	-
			SSL-36V40W/FT-SM6
	-		-
	50,000		-
		(A)	0.18 ± 10%
	(%) 95%	(%)	95





LED

RTSK-R140W15-D120

	26177535
가	85,000

SIZE		가
-	2700 ~ 5700	85,000

(Unit: mm)



LED PKG	15W	(PF)	0.9
	-		-
	105		-
	1,575	(CRI)	80
	2700 ~ 5700	SIZE	-
			SSL-36V15W-HG
	-		-
	50,000		-
		(A)	0.068 ± 10%
	(%) 95%	(%)	95





LED

RTSK-R155DLC20W-D140

	26177536
가	89,000

SIZE		가
-	2700 ~ 5700	89,000

(Unit: mm)



LED PKG	20W	(PF)	0.9
	-		-
	105		-
	2,100	(CRI)	80
	2700 ~ 5700	SIZE	-
			SSL-36V20W-HG
	-		-
	50,000		-
		(A)	0.09 ± 10%
	(%) 95%	(%)	95




LED

TOP-8SDL45W

	24484835
가	90,000

SIZE		가
-	5665 ± 355	90,000

(Unit: mm)



LED PKG	45W	(PF)	0.9
	-		-
	110		-
	4,950	(CRI)	80
	5665 ± 355	SIZE	-
			SSL-36V45WFT-SM6
	-		-
	50,000		-
		(A)	0.20 ± 10%
	(%) 95%	(%)	95





LED

RTSKR-R170M20W-40K

	26177540
가	93,000

SIZE		가
-	2700 ~ 5700	93,000

(Unit: mm)



LED PKG	20W	(PF)	0.9
	-		-
	105		-
	2,100	(CRI)	80
	2700 ~ 5700	SIZE	-
			-
	-		-
	50,000		-
		(A)	0.09 ± 10%
	(%) 95%	(%)	95






LED

RTSK-S 10W-D85

	26177534
가	99,000

SIZE		가
-	2700 ~ 5700	99,000

(Unit: mm)



LED PKG	10W	(PF)	0.9
	-		-
	100		-
	1,000	(CRI)	80
	2700 ~ 5700	SIZE	-
			SSL-36V10W-HG
	-		-
	50,000		-
		(A)	0.045 ± 10%
	(%) 95%	(%)	95




LED

TOP-DL15SAFE


	24801268
가	150,000
SIZE	
-	5665 ± 355
	가
	150,000

(Unit: mm)

Top View



Side View



LED PKG	15W	(PF)	0.9
	-		-
	105		-
	1,575	(CRI)	80
	5665 ± 355	SIZE	-
			SSL-36V15W-HG
	-		-
	50,000		-
		(A)	0.068 ± 10%
	(%) 95%	(%)	95




LED

RTSK-MS40

	25352139	
가	180,000	
SIZE		가
-	2700 ~ 5700	180,000

(Unit: mm)



LED PKG	40W	(PF)	0.9
	-		-
	110		-
	4,400	(CRI)	80
	2700 ~ 5700	SIZE	-
			SSL-LCP3620FF-HG
	-		-
	50,000		-
		(A)	0.18 ± 10%
	(%) 95%	(%)	95




LED

RTSK-MR30

	25352136
가	210,000
SIZE	
-	2700 ~ 5700
	가
	210,000

(Unit: mm)



LED PKG	30W	(PF)	0.9
	-		-
	105		-
	3,150	(CRI)	80
	2700 ~ 5700	SIZE	-
			3
	-		-
	50,000		-
		(A)	0.136 ± 10%
	(%) 95%	(%)	95




LED

RTSK-MS60

	25352140
가	240,000

SIZE		가
-	2700 ~ 5700	240,000



LED PKG	60W	(PF)	0.9
	-		-
	110		-
	6,600	(CRI)	80
	2700 ~ 5700	SIZE	-
			SSL-LCP3620FF-HG
	-		-
	50,000		-
		(A)	0.27 ± 10%
	(%) 95%	(%)	95