

LED

27

2026.09.30

LED

No.				가		SIZE			
1		RTSK-HB80-57K	26092974	160,000	80W	Φ 240*77.5	-	  	 
2		RTSK-HB100-57K	26092975	180,000	100W	Φ 240*77.5	-	  	 
3		RTSK-H100	25351993	190,000	100W	310*310*115	-	  	 
4		RTSK-HB120-57K	26092976	210,000	120W	Φ 240*77.5	-	  	 
5		RTSK-HB150-57K	26092977	270,000	150W	Φ 240*77.5	-	  	 
6		RTSK-57K80HB	26395216	310,000	100W	360*360*195	-	  	 
7		RTSK-FL80	26092815	330,000	80W	312*335*63	-	  	 
8		RTSK-HB100	25351988	350,000	100W	360*360*195	-	  	 
9		RTSK-57K120HB	26395215	370,000	100W	360*360*195	-	  	 
10		RTSK-FLL100	26092968	370,000	100W	312*335*63	-	  	 
11		RTSK-CW80	25431719	380,000	80W	170*382*229	-	  	 
12		RTSK-57K150HB	26395214	390,000	100W	360*360*195	-	  	 

LED

No.				가		SIZE			
13		RTSK-CW100	25431700	390,000	100W	170*382*229	-	  	 
14		RTSK-FL120	26092969	390,000	120W	353*374*68	-	  	 
15		RTSK-CW120	25431699	410,000	120W	170*382*229	-	  	 
16		RTSK-FL150	26092970	430,000	150W	353*374*68	-	  	 
17		RTSK-FLL200	26092971	510,000	200W	420*435*87	-	  	 
18		RTSK-FL250	26092972	590,000	250W	420*435*87	-	  	 
19		RTSK-FLL300	26092973	610,000	300W	458*486*96	-	  	 
20		RTSK-N300	26092978	730,000	300W	584*192*78	-	  	 
21		RTSK-N400	26092982	750,000	400W	584*192*78	-	  	 
22		RTSK-SPC250	25421798	820,000	250W	330*235*95	-	  	 
23		RTSK-SPC400	25421800	1,440,000	400W	330*310*95	-	  	 
24		RTSK-N600	26092984	1,500,000	600W	584*411*78	-	  	 

LED

No.		가			SIZE		
25		RTSK-N800	26092986	2,100,000	800W	584*411*78	-   
26		RTSK-N900	26092988	2,300,000	900W	584*632*78	-   
27		RTSK-N1200	26092989	2,500,000	1200W	584*632*78	-   




LED

RTSK-HB80-57K


	26092974
가	160,000

SIZE		가
Φ240*77.5	-	160,000

(Unit: mm)



반사갓 탈부착 가능 제품



반사갓 제거후 타공 197~200 후 대입형으로도 설치 가능

LED PKG	80W	(PF)	-
	AC220V ~		-
	-		IP65
	-	(CRI)	-
	-	SIZE	Φ240*77.5
	-		80W
	-		Aluminium
	50,000		-
	, , , (,)	-	-




LED

RTSK-HB100-57K


	26092975
가	180,000

SIZE		가
Φ240*77.5	-	180,000

(Unit: mm)



반사갓 탈부착 가능 제품



반사갓 제거후 타공 197~200 후 대입형으로도 설치 가능

LED PKG	100W	(PF)	-
	AC220V ~		-
	-		IP65
	-	(CRI)	-
	-		Φ 240*77.5
	-	SIZE	100W
	-		Aluminium
	50,000		-
	, , , (,)	-	-




LED

RTSK-H100

	25351993
가	190,000

SIZE		가
310*310*115	-	190,000

(Unit: mm)



LED PKG	100W	(PF)	-
	AC220V ~		-
	-		IP65
	-	(CRI)	-
	-	SIZE	310*310*115
			100W
	-		Aluminium
	50,000		-
	, , , (,)	-	-




LED

RTSK-HB120-57K


	26092976
가	210,000

SIZE		가
Φ 240*77.5	-	210,000

(Unit: mm)



반사갓 탈부착 가능 제품



반사갓 제거후 타공 197~200 후 대입형으로도 설치 가능

LED PKG	120W	(PF)	-
	AC220V ~		-
	-		IP65
	-	(CRI)	-
	-		Φ 240*77.5
	-	SIZE	120W
	-		Aluminium
	50,000		-
	, , , (,)	-	-




LED

RTSK-HB150-57K


	26092977
가	270,000

SIZE		가
Φ240*77.5	-	270,000

(Unit: mm)



반사갓 탈부착 가능 제품



반사갓 제거후 타공 197~200 후 대입형으로도 설치 가능

LED PKG	150W	(PF)	-
	AC220V		-
	-		IP65
	-	(CRI)	-
	-		Φ240*77.5
	-	SIZE	150W
	-		Aluminium
	50,000		-
	, , , (,)	-	-




LED

RTSK-57K80HB

	26395216
가	310,000
SIZE	
360*360*195	-
	가
	310,000

(Unit: mm)



LED PKG	100W	(PF)	-
	AC220V ~		-
	-		IP65
	-	(CRI)	-
	-	SIZE	360*360*195
			100W
	-		Aluminium
	50,000		-
	, , ,	-	-






LED

RTSK-FL80

	26092815
가	330,000
SIZE	
312*335*63	-
	가
	330,000

(Unit: mm)



LED PKG	80W	(PF)	-
	AC220V		-
	-		IP65
	-	(CR1)	-
	-	SIZE	312*335*63
	-		80W
	-		Aluminium
	50,000		-
	, , , (,)	-	-






LED

RTSK-HB100

	25351988
가	350,000

SIZE		가
360*360*195	-	350,000

(Unit: mm)



LED PKG	100W	(PF)	-
	AC220V ~		-
	-		IP65
	-	(CRI)	-
	-	SIZE	360*360*195
			100W
	-		Aluminium
	50,000		-
	, , , (,)	-	-




LED

RTSK-57K120HB

	26395215
가	370,000

SIZE		가
360*360*195	-	370,000

(Unit: mm)



LED PKG	100W	(PF)	-
	AC220V ~		-
	-		IP65
	-	(CRI)	-
	-	SIZE	360*360*195
			100W
	-		Aluminium
	50,000		-
	, , ,	-	-




LED

RTSK-FLL100


	26092968
가	370,000

SIZE		가
312*335*63	-	370,000

(Unit: mm)



LED PKG	100W	(PF)	-
	AC220V		-
	-		IP65
	-	(CRI)	-
	-	SIZE	312*335*63
	-		100W
	-		Aluminium
	50,000		-
	, , , (,)	-	-




LED

RTSK-CW80

	25431719
가	380,000
SIZE	
170*382*229	-
	가
	380,000

(Unit: mm)



LED PKG	80W	(PF)	-
	AC220V ~		-
	-		IP65
	-	(CRI)	-
	-	SIZE	170*382*229
	-		80W
	-		Aluminium
	50,000		-
	, , , (,)	-	-




LED


RTSK-57K150HB

	26395214
가	390,000
SIZE	
360*360*195	-
	가
	390,000

(Unit: mm)



LED PKG	100W	(PF)	-
	AC220V ~		-
	-		IP65
	-	(CRI)	-
	-	SIZE	360*360*195
			100W
	-		Aluminium
	50,000		-
	, , ,	-	-




LED

RTSK-CW100

	25431700
가	390,000
SIZE	
170*382*229	
	가
	390,000

(Unit: mm)



LED PKG	100W	(PF)	-
	AC220V ~		-
	-		IP65
	-	(CRI)	-
	-	SIZE	170*382*229
	-		100W
	-		Aluminium
	50,000		-
	, , , (,)	-	-




LED

RTSK-FL120


	26092969
가	390,000

SIZE		가
353*374*68	-	390,000

(Unit: mm)



LED PKG	120W	(PF)	-
	AC220V		-
	-		IP65
	-	(CRI)	-
	-	SIZE	353*374*68
	-		120W
	-		Aluminium
	50,000		-
	, , , (,)	-	-




LED

RTSK-CW120

	25431699
가	410,000
SIZE	
170*382*229	-
	가
	410,000

(Unit: mm)



LED PKG	120W	(PF)	-
	AC220V ~		-
	-		IP65
	-	(CRI)	-
	-	SIZE	170*382*229
	-		120W
	-		Aluminium
	50,000		-
	, , , (,)	-	-




LED

RTSK-FL150

	26092970
가	430,000

SIZE		가
353*374*68	-	430,000

(Unit: mm)



LED PKG	150W	(PF)	-
	AC220V		-
	-		IP65
	-	(CRI)	-
	-	SIZE	353*374*68
	-		150W
	-		Aluminium
	50,000		-
	, , , (,)	-	-




LED

RTSK-FLL200

	26092971	
가	510,000	
SIZE		가
420*435*87	-	510,000

(Unit: mm)



LED PKG	200W	(PF)	-
	AC220V		-
	-		IP65
	-	(CRI)	-
	-	SIZE	420*435*87
			200W
	-		Aluminium
	50,000		-
	, , , (,)	-	-




LED

RTSK-FL250

	26092972
가	590,000

SIZE		가
420*435*87	-	590,000

(Unit: mm)



LED PKG	250W	(PF)	-
	AC220V		-
	-		IP65
	-	(CRI)	-
	-	SIZE	420*435*87
			250W
			Aluminium
	50,000		-
	, , , (,)	-	-




LED

RTSK-FLL300

	26092973
가	610,000

SIZE		가
458*486*96	-	610,000

(Unit: mm)



LED PKG	300W	(PF)	-
	AC220V		-
	-		IP65
	-	(CRI)	-
	-	SIZE	458*486*96
	-		300W
	-		Aluminium
	50,000		-
	, , , (,)	-	-






LED

RTSK-N300

	26092978
가	730,000
SIZE	
584*192*78	-
	가
	730,000

(Unit: mm)



LED PKG	300W	(PF)	-
	AC220V		-
	-		IP65
	-	(CRI)	-
	-	SIZE	584*192*78
	-		300W
	-		Aluminium
	50,000		-
	, , , (,)	-	-




LED

RTSK-N400

	26092982
가	750,000
SIZE	
584*192*78	-
	가
	750,000

(Unit: mm)



LED PKG	400W	(PF)	-
	AC220V		-
	-		IP65
	-	(CRI)	-
	-	SIZE	584*192*78
	-		400W
	-		Aluminium
	50,000		-
	, , , (,)	-	-




LED

RTSK-SPC250

	25421798
가	820,000

SIZE		가
330*235*95	-	820,000

(Unit: mm)



LED PKG	250W	(PF)	-
	AC220V		-
	-		IP65
	-	(CRI)	-
	-		330*235*95
	-	SIZE	250W
	-		Aluminium
	50,000		-
	, , , (,)	-	-




LED

RTSK-SPC400


	25421800
가	1,440,000

SIZE		가
330*310*95	-	1,440,000

(Unit: mm)



LED PKG	400W	(PF)	-
	AC220V ~		-
	-		IP65
	-	(CRI)	-
	-		330*310*95
	-	SIZE	200W
	-		Aluminium
	50,000		-
	, , , (,)	-	-




LED


RTSK-N600

	26092984
가	1,500,000
SIZE	
584*411*78	-
	가
	1,500,000

(Unit: mm)



LED PKG	600W	(PF)	-
	AC220V		-
	-		IP65
	-	(CRI)	-
	-	SIZE	584*411*78
	-		300W
	-		Aluminium
	50,000		-
	, , , (,)	-	-




LED

RTSK-N800

	26092986
가	2,100,000
SIZE	
584*411*78	-
	2,100,000

(Unit: mm)



LED PKG	800W	(PF)	-
	AC220V		-
	-		IP65
	-	(CRI)	-
	-	SIZE	584*411*78
	-		400W
	-		Aluminium
	50,000		-
	, , , (,)	-	-




LED

RTSK-N900

	26092988
가	2,300,000

SIZE		가
584*632*78	-	2,300,000

(Unit: mm)



LED PKG	900W	(PF)	-
	AC220V		-
	-		IP65
	-	(CRI)	-
	-		584*632*78
	-	SIZE	300W
	-		Aluminium
	50,000		-
	, , , (,)	-	-




LED

RTSK-N1200

	26092989
가	2,500,000

SIZE		가
584*632*78	-	2,500,000

(Unit: mm)



LED PKG	1200W	(PF)	-
	AC220V		-
	-		IP65
	-	(CRI)	-
	-		584*632*78
	-	SIZE	400W
	-		Aluminium
	50,000		-
	, , , (,)	-	-